



Type **ECO L MOBI 2T1**

Code **711A164**



Self standing mobile unit  
for cooling and dispensing beer

### TECHNICAL DATA

Compressor	12,11 cc
Cooling power	1033 W 3689 kJ/h
Continuing capacity	98 l / 49 l
Temperature*	$\Delta t = 10^{\circ}\text{C}/20^{\circ}\text{C}$
Ice bank	16 kg = 5358 kJ
Cooling capacity 1. <sup>st</sup> hour	240 l / 120 l
Water tank capacity	37 l
Weight	56 kg
Widht	488
Depth	553
Height	900 (without tower)

### TECHNICAL SPECIFICATION

Refrigerant:	R290
Evaporator:	Copper
Ref. System:	Capillary
Condenser:	Air - steel construction
Control type :	Electronic
Circulation Pump:	6,4 m
Casing:	Stainless steel
Coils:	Beer 1x (8/7 x 20,5m)

### TECHNICAL EL. SPECIFICATION

Voltage/Frequency:	230 V 50 Hz
Power:	0,73 kW
Run:	4,70 A

All specifications (data) about compressors are based on: condensing temperature ( $T_{\text{cond}}=55^{\circ}\text{C}$ ), evaporating temperature ( $T_{\text{ev.}}=-5^{\circ}\text{C}$ ), ambient temperature ( $T_{\text{amb.}}=32^{\circ}\text{C}$ ) and relative humidity  $65\pm 5\%$ .

All capacities and dispense rates are for  $24^{\circ}\text{C}$  Ambient,  $15/24^{\circ}\text{C}$  beer ingoing and dispensing temperature  $3-5^{\circ}\text{C}$ .

*OPREMA reserves the right to modify at any time the technical data and specifications reported herein, as the result of technical updating and improvement.*