



Type **OKSI OP202VL BOX**

Code **712A172**



UNDERCOUNTER UNIT FOR COOLING BEER

### TECHNICAL DATA

Compressor	11,15 cc
Cooling power	501 W 1789 kJ/h
Continuing capacity	47 l / 24 l
Temperature*	$\Delta t = 10^{\circ}\text{C}/20^{\circ}\text{C}$
Ice bank	11,5 kg = 3851 kJ
Cooling capacity 1. <sup>st</sup> hour	149 l / 75 l
Water tank capacity	30 l
Weight	34 kg
Widht	410
Depth	420
Height	690

### TECHNICAL SPECIFICATION

Refrigerant:	R134a
Evaporator:	Copper
Ref. System:	Capillary
Condenser:	Air - steel construction
Control type :	Mechanical
Circulation Pump:	6 m
Casing:	PVC Coated steel
Colour:	Light gray
Coils:	Beer 2x (8/7 x 15m)

### TECHNICAL EL. SPECIFICATION

Voltage/Frequency:	230 V 50 Hz
Power:	0,55 kW
Run:	2,95 A

All specifications (data) about compressors are based on: condensing temperature ( $T_{\text{cond}}=55^{\circ}\text{C}$ ), evaporating temperature ( $T_{\text{ev.}}=-5^{\circ}\text{C}$ ), ambient temperature ( $T_{\text{amb.}}=32^{\circ}\text{C}$ ) and relative humidity  $65\pm 5\%$ .  
All capacities and dispense rates are for  $24^{\circ}\text{C}$  Ambient,  $15/24^{\circ}\text{C}$  beer ingoing and dispensing temperature  $3-5^{\circ}\text{C}$ .

*OPREMA reserves the right to modify at any time the technical data and specifications reported herein, as the result of technical updating and improvement.*